



## **S-Thunder Gas Grenade**

**SWG-224, SWG-234, SWG-277**

### **Instruction Manual**

Thank you for purchasing S-Thunder's Gas Grenade. This Gas Grenade is superbly designed and engineered by S-Thunder, and you will enjoy its use for many years to come. Before using the Gas Grenade please read the following warnings and operating instructions.

#### **WARNING**

**This Gas Grenade is not a toy and is not intended for use by any persons under the age of 18 years.**




## WARNINGS:

- Persons under the age of 18 should not handle or operate the Gas Grenade nor the gas cylinder
- Failure to follow the instructions herein may result in serious injuries or property damage
- Only authorized technicians can repair the Gas Grenade; do not disassemble the Gas Grenade or attempt to modify the Gas Grenade in any way. Serious injuries may occur with modified units
- Wear protective mask and equipment at all times while operating this Gas Grenade to avoid face or eyes injury
- Do not point the Gas Grenade or shoot at anyone who is not wearing a protective mask and equipment
- Seek immediate medical attention if you or anyone is injured by the Gas Grenade or its projectiles

## OPERATING INSTRUCTIONS

- Check to make sure the trigger valve is flush with the bottom of the Gas Grenade (1)
- Inject a small amount of gas via the gas injection valve (2)
- Fill cavity with BB pellets or paintballs loosely and replace plastic plug (Maximum capacity: 80 BB pellets, 7x 11mm Paintballs, or 4x 17mm Paintballs)
- Insert Gas Grenade into a Grenade Launcher or press trigger valve to discharge (3)
- After discharge, reposition trigger valve if necessary. If trigger valve cannot be repositioned, unscrew the gas Grenade bottom part slightly and try repositioning again. Screw the bottom part back on after repositioning. (4)



## **REPLACEMENT PARTS AVAILABLE:**

- Plastic Plug – 100 pcs, part # ACC-PL01
- Standard Replacement Core, part # ACC-XP02

**S-Thunder Limited**

[www.s-thunder.com](http://www.s-thunder.com)

[info@s-thunder.com](mailto:info@s-thunder.com)